PTO/SB/08B (10-01)

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE eduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Complete if Known

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Application Number 10/665,900

Filing Date September 19, 2003

First Named Inventor Fréchet, Jean M.J., et. al.

Art Unit 1743

Examiner Name Not yet assigned

IB-1829

(use as many sheets as necessary)

Sheet 1 of 4

U.S. PATENT DOCUMENTS						
		Document Number	•			
Examiner	Cite No.1	Number Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
/JN/	AA	US-5316,680	05-31-1994	Fréchet, et al.		
	AB	US-5,334,310	08-02-1994	Fréchet, et al.		
	AC	US-5,431,807	07-11-1995	Fréchet, et al.		
	AD	US-5,453,185	09-26-1995	Fréchet, et al.		
	AE	US-5,522,994	06-24-1996	Fréchet,et al.		
	AF	US-5,547,575	08-20-1996	Demmer, et al.		
	AG	US-5,633,290	01-14-1997	Fréchet, et al.		
	AH	U\$-5,728,457	03-17-1998	Fréchet, et al.		
	Al	US-5,744,250	04-28-1998	Lee, et al.		
	AJ	US-5,929,214	07-27-1999	Fréchet, et al.		
	AK	US-6,013,855	01-11-2000	McPherson, et al.		
	AL	US-6,306,273	10-23-2001	Wainwright, et al.		
	AM	US-6,358,557	03-19-2002	Wang, et al.		
	AN	US-6,361,958	05-07-2002	Shieh, et al.		
\sqrt{I}	AO	US-6,384,100	05-07-2002	Choi, Wai Ming		
V	AP	US-5,786,428	07-28-1998	Arnoid, et al.		
/ IN/	CI	US-20010007701	07-12-2001	Karger, et al.		

Attorney Docket Number

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS					
Examiner Initials *	Cite No.1	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²		
/JN/	AQ	ALLMER K, Hult A, Ranby B., Surface modification of polymers. II: Grafting with glycidyl acrylate and the reactions of the grafted surface with amines. <i>J. Polym Sci Polym Chem</i> 1989; 27:1641-52.			
/JN/	AR	ALLMER K, Hult A, Ranby B., Surface modification of polymers. III: Grafting of Stabilizers onto Polymer Films. J. Polym Sci Polym Chem 1989; 27:3405-13.			
/JN/	AS	ANG CH, Gamett JL, Levot RG, Long Ma. The effect of additives for accelerating radiation grafting. The use of the technique for modification of polymers especially polyolefins. In: Carraher Jr CE, Moore JA, editors. <i>Modification of polymers</i> . New York: Plenum Press, 1983. p. 33-53.			
/JN/	AT	AUROUX P.A., lossifidis D., Reyes D.R., Manz A., "Micro Total Analysis Systems. 2. Analytical Standard Operations and Applications," <i>Anal. Chem.</i> 2002, 74, 2637.			
/JN/	AU	BARKER S. L. R., Tarlov MJ, Canavan H, Hickman JJ, and Locascio LE, "Plastic Microfluidic Devices Modified with Polyelectrolyte Multilayers", Anal. Chem.; 2000; 72(20) pp 4899 – 4903.			

Examiner	/ Ivoti Nagacul/	Date	00/00/007
Signature	/Jyoti Nagpaul/	Considered	03/28/2007

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the Individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

SF 1446704 v1



¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Application Number 10/665,900 September 19, 2003 **Filing Date** First Named Inventor Fréchet, Jean M.J., et. al. Art Unit 1743 **Examiner Name** Not yet assigned Attorney Docket Number IB-1829

Complete if Known

(use as many sheets as necessary)

Sheet of

	,	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner nitials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
/JN/	AV	BERMAN, et al., "Total Alignment of Calcite at Acidic Polydiacetylene Films: Cooperativity at the Organic-Inorganic Interface," Science, Volume 269, pp. 515-518, (July 28, 1995)	
	AW	CHAN C.M., Ko T.M., Hiraoka H., "Polymer Surface modification by plasmas and photons," Surf. Sci. Rep. 1996, 24, 3.	
	AX	CHEN, W. And McCarthy, TJ, "Layer-by-Layer Deposition: A Tool for Polymer Surface Modification," Macromolecules 1997, 30, 78-86, January 13, 1997.	
	AY	CHIARI M, Cretich M, Stastna M, Radko SP, Chrambach A; "Rapid capillary coating by epoxy-poly- (dimethylacrylamide): Performance in capillary zone electrophoresis of protein and polystyrene carboxylate," Electrophoresis. 2001;22(4):656-9	
	AZ	ECKERT AW, Grobe D, Rothe U., Surface-modification of polystyrene-microtitre plates via grafting of glycidylmethacrylate and coating of poly-glycidylmethacrylate, <i>Biomatenals</i> . 2000 Mar;21(5):441-7.	
	ВА	HENRY A.C., Tutt T.J., Galloway M., Davidson Y.Y., McWhorter C.S., Soper S.A., McCarley R.L., "Surface Modification of Poly(methyl methacrylate) Used in the Fabrication of Microanalytical Devices," <i>Anal. Chem.</i> Nov 1, 2000, 72, 5331.	
	ВВ	HU, S. et al., "Surface Modification of Poly(dimethylsiloxane) Microfluidic Devices by Ultraviolet Polymer Grafting," Anal. Chem., 74, 4117-4123, June 6, 2002.	
	BC	KAMATH KR, Park K., "Surface modification of polymeric biomaterials by albumin grafting using h-irradiation," J Appl Biomater. 1994 Summer,5(2):163-73.	
	BD	KATO, K., Uchida, E., Kang, E. T., Uyama, Y., & Ikada, Y. "Polymer surface with graft chains," <i>Progress in Polymer Science</i> , 28(2): 209-259, 2003	
	BE	LISTON E., Martinu L., Wertheimer M., "Plasma Surface Modification of polymers for improved adhesion: a critical review," J. Adhes. Sci. Technol. 1993, 7, 1091.	
	BF	MA Z, Gao C, Shen J, "Surface modification of poly-L-lactic acid (PLLA) membrane by grafting acrylamide: an effective way to improve cytocompatibility for chondrocytes," J Biomater Sci Polym Ed. 2003;14(1):13-25.	
	BG	MEYER, U., Svec, F., and Frechet, JMJ, "Use of Stable Free Radicals for the Sequential Preparation and Surface Grafting of Functionalized Macroporous Monoliths," <i>Macromolecules</i> 2000, 33, 7769-7775, Sept 28, 2000.	
\overline{V}	ВН	NAKAYAMA Y, Matsuda T, Irie M., "A novel surface photo-graft polymerization method for fabricated devices," ASAIO J. 1993 Jul-Sep;39(3):M542-4.	
/JN/·	BI	OSTER G., Shibata O., "Graft Copolymer of Polyacrylamide and Natural Rubber Produced by Means of Ultraviolet Light," J. Polym. Sci. 1957, 26, 233-234.	

Signature /Jyoti Nagpaul/ Considered 03/28/2007

EXAMINER: tritial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231. SF 1446704 v1



¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number


Substitute for form 1449B/PTO Complete if Known **Application Number** 10/665,900 INFORMATION DISCLOSURE Filing Date September 19, 2003 STATEMENT BY APPLICANT **First Named Inventor** Fréchet, Jean M.J., et. al. Art Unit 1743 (use as many sheets as necessary) **Examiner Name** Not yet assigned Sheet Attorney Docket Number IB-1829


		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	т
/JN/	BJ	PETERS, EC, Svec, F, and Frechet JMJ, "Control of Porous Properties and Surface Chemistry in "Molded" Porous Polymer Monoliths Prepared by Polymerization in the Presence of TEMPO," <i>Macromolecules</i> 1999, 32, 6377-6379, Aug 19, 1999.	
	ВК	PETERSON, H., et al., "Poly(ethylenimine-co-L-lactamide-co-succinamide): A Biodegradable Polyethylenimine Derivative with an Advantageous pH-Dependent Hydrolytic Degradation for Gene Delivery," <i>Bioconjugate Chem.</i> 2002, 13, 812-821, 06/01/2002.	
	BL	QIN D., Xia Y.N., Rogers J.A., Jackman R.J., Zhao X.M., Whitesides G.M., "Microfabrication, Microstructures and Microsystems," <i>Top. Curr. Chem.</i> 1998, 194, 1-20.	
	ВМ	RÅNBY B., "Surface Modification of Polymers by Photoinitiated Graft Polymerization," <i>Makromol. Chem.</i> , <i>Macromol. Symp.</i> 1992,63, 55.	
	BN	RÅNBY B., Yang W.T., Tretinnikov O., "Surface photografting of polymer fibers, films and sheets," Nucl. Instrum. Methods Phys. Res., Sect. B 1999,151, 301-305.	
	во	REYES D.R., lossifidis D., Auroux P.A., Manz A., "Micro Total Analysis Systems. 1. Introduction, Theory, and Technology," Anal. Chem. 2002, 74, 2623.	
	ВР	ROHR T., Yu C., Davey M.H., Svec F., Fréchet J.M.J., "Porous polymer monomiliths: Simple and efficient mixers prepared by direct polymerization in the channels of microfluidic chips," <i>Electrophoresis</i> 2001, <i>22</i> , 3959.	
	BQ	SHIN DS, Lee KN, Jang KH, Kim JK, Chung WJ, Kim YK and Lee YS, "Protein patterning by maskless photolithography on hydrophilic polymer-grafted surface," <i>Biosensors and Bioelectronics</i> , Volume 19, Issue 5, 30 December 2003, Pages 485-494	
	88	SCHWEITZ, L, Andersson, L.I., and Nilsson, S., "Rapid electrochromatographic enantiomer separations on short molecularly imprinted polymer monoliths," <i>Analytica Chimica Acta</i> 435 (2001) 43-47.	
	вт	STACHOWIAK TB, Rohr T, Hilder EF, Peterson DS, Yi M, Svec F, Frechet JM, "Fabrication of porous polymer monoliths covalently attached to the walls of channels in plastic microdevices," <i>Electrophoresis</i> . 2003 Nov;24(21):3689-93.	
	` BU	SVEC, F.; Fréchet, J. M. J., "Continuous Rods of Macroporous Polymer as High Performance Liquid Chromatography Separation Media," <i>Anal. Chem.</i> 1992, <i>54</i> , 820.	
	BV	SVEC, F.; Fréchet, J. M. J., "New Designs of Macroporous Polymers and Supports: From Separation to Biocatalysis," <i>Science</i> 1996, <i>273</i> , 205	
V	BW	SVEC F., Yu C., Rohr T., Fréchet J.M.J., In <i>Micro Total Analysis Systems 2001</i> , Ramsey J.M., van den Berg A. (Eds.), Kluwer Acad. Publ., Dordrecht, 2001, p. 643-645.	
JN/	вх	SVEC F., Fréchet J.M.J., Hilder E.F., Peterson D.S., Rohr T., In <i>Micro Total Analysis Systems 2002</i> , Baba Y., van den Berg A. (Eds.), Kluwer Academic Publishers, Dordrecht, 2002, p. 332-334.	

Examiner Signature	/Jyoti Nagpaul/	Date Considered	03/28/2007

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.





Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO Complete if Known **Application Number** 10/665.900 INFORMATION DISCLOSURE **Filing Date** September 19, 2003 STATEMENT BY APPLICANT **First Named Inventor** Fréchet, Jean M.J., et. al. Art Unit 1743 (use as many sheets as necessary) Examiner Name Not yet assigned Sheet of **Attorney Docket Number** JB-1829

_		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	τ²
/JN/	ВҮ	THROCKMORTON DJ, Shepodd TJ, and Singh AK, "Electrochromatography in Microchips: Reversed-Phase Separation of Peptides and Amino Acids Using Photopatterned Rigid Polymer Monoliths," <i>Anal. Chem.</i> ; Feb 15, 2002; 74(4) pp 784 – 789.	
	BZ	UYAMA, Y., Kato K., Ikada Y., "Surface Modification of Polymers by Grafting," Adv. Polym. Sci. 1998, 137, 1.	
	CA	VIKLUND, C.; Ponten, E.; Glad, B.; Irgum, K.; Horstedt, P.; Svec, F.; "Molded" Macroporous Poly(glycidyl methacrylate-co-trimethylolpropane trimethacrylate) Materials with Fine Controlled Porous Properties: Preparation of Monoliths Using Photoinitiated Polymerization," Chem. Mater.; (Article); Feb 1997; 8(2); 463-471.	
	СВ	VIKLUND, C.; Svec F, Fréchet J. M. J., and Irgum K, "Fast Ion-Exchange HPLC of Proteins Using Porous Poly(glycidyl methacrylate-co-ethylene dimethacrylate) Monoliths Grafted with Poly(2-acrylamido-2-methyl-1-propanesulfonic acid)," <i>Biotechnol. Prog.</i> ; 1997; 13(5) pp 597 – 600.	
	cc	VIKLUND, C and Irgum, K., "Synthesis of Porous Zwitterionic Sulfobetaine Monoliths and Characterization of Their Interaction with Proteins, <i>Macromolecules</i> , 33, 2539-2544, March 11, 2000.	
	CD	WANG B, Abdulali-Kanji Z, Dodwell E, Horton JH, Oleschuk RD, "Surface characterization using chemical force microscopy and the flow performance of modified polydimethylsiloxane for microfluidic device applications," Electrophoresis, Volume 24, Issue 9, 2003, p 1442-1450.	
	CE	XIE S, Svec F, Frechet JM.,* **Design of reactive porous polymer supports for high throughput bioreactors: poly(2-vinyl-4,4-dimethylazlactone-co-acrylamide- co-ethylene dimethacrylate) monoliths,* <i>Biotechnol Bioeng.</i> 1999 Jan 5; 62(1):30-5.	
	CF	YU C., Svec F., Fréchet J.M.J., Toward stationary phases for chromatography on a microchip: Molded porous polymer monoliths prepared in capillaries by photoinitiated in situ polymerization as separation media for electrochromatography, "Electrophoresis 2000, 21, 120.	
$\overline{\mathbf{V}}$	CG	YU C., Davey M.H., Svec F., Fréchet J.M.J., "Monolithic Porous Polymer for On-Chip Solid-Phase Extraction and Preconcentration Prepared by Photoinitiated in Situ Polymerization within a Microfluidic Device," <i>Anal. Chem.</i> 2001, 73, 5088.	
/JN/	сн	YU C., Xu M., Svec F., Fréchet J.M.J. "Preparation of monolithic polymers with controlled porous properties for microfluidic chip applications using photoinitiated free-radical polymerization," <i>J. Polym. Sci., Polym. Chem.</i> 2002, 40, 755.	
			L
		,	

Examiner Signature	/Jyoti Nagpaul/	Date Considered	03/28/2007

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231. SF 1446704 v1



¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.